

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|------------------------------------|------------------|---------|------------------|
| L1 | 79 | mutual\$ near3 authenticat\$ and challenge with (id or identif\$ or (serial adj number)) and @ad<="20021008" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/05/16 15:31 |
| L2 | 16 | encrypt\$ adj random with (id or identif\$ or (serial adj number)) with (generat\$ or deriv\$) with key and @ad<="20021008" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/05/16 15:31 |
| L3 | 28 | random near2 encrypt\$ with (id or identif\$) with authenticat\$ and @ad<="20021008" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/05/16 15:31 |
| L4 | 2 | compar\$ with challenge with decrypt\$ near2 random and @ad<="20021008" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/05/16 15:32 |
| L5 | 209 | 713/169.ccls and @ad<="20021008" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/05/16 15:32 |
| L6 | 162 | encrypt\$ adj random near4 (id or identif\$ or (public adj key)) and @ad<="20021008" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/05/16 15:32 |
| L7 | 108 | key with random near2 encrypt\$ with (id or identif\$) and @ad<="20021008" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/05/16 15:32 |
| L8 | 8 | retriev\$ near2 (private or secret) adj key near5 database with (user or id or identif\$) and @ad<="20021008" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/05/16 15:32 |
| L9 | 21 | (compar\$ or match\$) near2 decrypt\$ near random and @ad<="20021008" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/05/16 15:32 |
| L10 | 18 | wireless with network with router with authenticat\$ and @ad<="20021008" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/05/16 15:32 |
| L11 | 3 | L5 and wireless with access adj point | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/05/16 15:34 |